




Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.







0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

Linus resinosa

C.O. Austria gathers it near octato green Bay, Wir.

He says that judging from the neked speries on the branches bear;

mule flowers, of shith 5-6 are noticed, the leaves mush

persist ran 6 years.

Drany fries it on St Covix Aver Mismusot.



MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



* * Male forom in spikes, mor less close the cup. like scales spor er les close er imbricates; the two lateral (or superior) sepals longest in the much compressed but and carinate. - The material col. lected is a careely sufficient for a Ratisfactory identification and there species. 2. A. vaginatum, Tichl. Rather stout, 2-3 inches high; male spikes not closely instricated, the flowers a line long and a little shorter than the joints, the efrike 6-10-jointed er lengersmally 6-10 lines long, a line brown before expansion; pistillate spiker 2-7-jointed, /2-1 limbrod, ar finst imbricated, the obbyse teeth usually extraling or exceeding martino's the chique ; mahren print Vi lines long. _ Flora Brasil., fase. XLIV., p. 106, t. 31, 3, friq. 1, 3 fr. Eichler identifier, probably correctly, the viscum vaginatum, HBK., with forms of Acryptoped (1.c.)
more northern forms included by br. Engelmann, under his species A. compylopodum and cryptopodum. The plant abor dramibed seems to range from organ to Southern California, occurring on Pinus Sabiniand and pondrosa, Abies grands and Junipens occidentalis, afgelmannis A. abietimm, Proc. Am. Acad., VIII, p. 401, is apparently the same.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

the second secon

the state of the state of the Title Commencer of the state of the stat

MISSOURI BOTANICAL GARDEN

gritime sylvestres Asiation: leaves with numery perigh. Lits, subolly surely by

light solly also so rolls with theath higher rand,

about wanting (in the I called I perion) - involver of 3 or 4


flows only 3 1. las in alaphel spille such of 3 or 4

por toute 5-6 Bruts to call light you've or len, with I mell stroubt and

Countrie called water the arm of Menonium. V'. Menorian. leaves with few or many purish dut of wither hypole rells - bygode spanj : come voglitte on priphery mondy som in thements. Much flows slender of little on priphery brounds of the line of supporting that long account to and all plice or what some I findle to himlety, the outer pair a little that the income, involved, the outer pair a little that the income, O. Mekufsii could kirom no duto per hopelus rolls i com I am involute of 12 scales, out of not half as by as show oney. Tift i He Rew has 2 forms, Ich belog there. one for Affichentstan 4992 has broader leaves the any of those, 2 perigh hits ow left the 3th flatish trely leavy more aleader low side thoughthen outs a perigh low, a low side thoughthen outs a perigh low, a bounder with sheath Every glongelie, sleads, 3 infeller to sylvertis with 3-4 involvers bouts (" all all if. 12 some of or with and offer and personal few and format with the 2 scenar come fetales - artiste abeth wille the arts desilo, and ocsonose à la 8


0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

GEORGE ENGELMANN PAPERS nglemon MISSOURI BOTANICAL GARDEN Kindly enform, what work on "Medical Botany" is best adapted to the evants of a Ducteus of Butany who twished to give his Kninkedge a pracheal tum fina ohe ordinary Clas Beoks, (Wood, + Gray) efery Gueagne even entirely silent on many, Sen Orders, arhich supbrace many in perlant medicinal plants, By Complying with Dequest your will greatly Oblige mul 2050 90 10 / 125 15 35 250 Hours very Represent 2000 5 70 10 10 10



Recudolings Douglasi' Com Coif ed 2. 216 Then 8-12-15-12 250 -350 leaves tot ng , com . Me 18 -16 ing shoots sale stand pint of while ply envoloped it he have love mothers Cones 2 - Bharder 1 1 may Into cest or the forther seets saysh oblige 3 his los wing fame length, broaded allowing and coty

BOTANICAL copyright reserved cm GARDEN




Parkingi writing, Sopt 1879 Hiney Massoniana von som for Lutte Chine, dadig related to A. Khesin , pulings identited with it. A. Manonian of many collections is Thumbergine and is allier to P. Laniro 1. Justflow is allied to Sylvistics O. Buggana av Gerandiane are olerely allied. A. Canasicus'is is somethet similar but belongs to the Pinester group. Gerardian i nurulae 21-22 mill. longue 8-9 m. U. lete Parlet.

0 1 2 3 4 5 6 7 8 9 10 MISSOURI BOTANICAL GARDEN

ice pindle in the 4 Pormer Lept 1862 on a volvains Cone i Villy man Met Shorts - pendle de stiff publishe on a gangent somblety leaves 7-9 l. las 6.6-0.7 l. crite _ obline chroning kule above with bands of 5-6 hours of state above none Balow in the kele befor coming agains Com Kessile ad with 2 dans, Things not Patterson' we down down MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS
























Viden Sirumi det. denle long learn i "2" one one 6 ms los, souler sources, knobbed, flesh. annt appine, Soft 1869 hand I am I shaw I have a sent sine - when and shaw forming before Sperim for the Fell of Formore hast male fl. - spiker 5 mil









V Herb Ken, Sept 6 1869 " The found of seed, = Those of the Minter the Minter the Minter the Minter the Minter the through Mins Messonian Lail. Japon. Maximonis. 1862 Septime erest fen. ament, morth, 2: male ament all 1.8/11 log short head - lives in 2'- faller, Al 2' grant Como o hort ovel reflex. - forme brevijblig Ingo 1861, Magicaning



MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS







MISSOURI BOTANICAL GARDEN GEORGE ENGELMANN PAPERS



MISSOURI BOTANICAL GARDEN